

TOYOTA (EU) LAND CRUISER 200 / V8 J20

LAND CRUISER 200 4.5 V8 D-4D VDJ200

(2008-2010)

**ENGINE 1VD-FTV**

Capacity: 9,9 liter (Dry fill), Capacity: 9,2 liter (Service fill), Filter capacity: 1 liter

USE

Normal

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1**Bi-Turbo 20W-50***Change every 15000 km/ 12 months***USE**

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza LSP 5W-30****PRODUCT RECOMMENDATION 2****Asyntho 5W-30****PRODUCT RECOMMENDATION 3****Emperol 10W-40***Change every 15000 km/ 12 months***USE**

Severe

CLIMATE

Mediterranean

PRODUCT RECOMMENDATION 1**Bi-Turbo 20W-50***Change every 7500 km/ 6 months***USE**

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza LSP 5W-30****PRODUCT RECOMMENDATION 2****Asyntho 5W-30****PRODUCT RECOMMENDATION 3****Emperol 10W-40***Change every 7500 km/ 6 months***DIFFERENTIAL FRONT**

Capacity: 1,85-1,95 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1071***Change every 30000 km/ 48 months***DIFFERENTIAL REAR**

Capacity: 4,15-4,25 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1071***Change every 30000 km/ 48 months*

TOYOTA (EU) LAND CRUISER 200 / V8 J20

LAND CRUISER 200 4.5 V8 D-4D VDJ200

(2008-2010)

**DIFFERENTIAL REAR LIMITED SLIP**

Capacity: 4,1-4,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071*Change every 30000 km/ 48 months***DIFFERENTIAL REAR WITH DIFFERENTIAL LOCK**

Capacity: 4,1-4,2 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1071*Change every 30000 km/ 48 months***TRANSFERBOX JF2A**

Capacity: 1,4-1,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1011

PRODUCT RECOMMENDATION 2

Syngear TDL 75W-90

PRODUCT RECOMMENDATION 3

Syngear 75W-90*Check every 45000 km/ 48 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 1011

PRODUCT RECOMMENDATION 2

Syngear TDL 75W-90

PRODUCT RECOMMENDATION 3

Syngear 75W-90*Change every 45000 km/ 48 months*

TOYOTA (EU) LAND CRUISER 200 / V8 J20

LAND CRUISER 200 4.5 V8 D-4D VDJ200

(2008-2010)



TRANSMISSION AUTOMATIC AB60F 6/1
Capacity: 10,4 liter (Dry fill), Capacity: 3 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 4036		

Check every 48 months/ 60000 km

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 4036		

Check every 45000 km/ 36 months, change every 90000 km/ 72 months

TRANSMISSION MANUAL H150F 5/1
Capacity: 3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Check every 48 months/ 60000 km

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Change every 60000 km/ 48 months

HYDRAULIC LEVELLING SYSTEM

We are unable to give a standard recommendation for this component. Please contact our service department.

HYDRAULIC BRAKE SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Change every 30000 km/ 24 months

TOYOTA (EU) LAND CRUISER 200 / V8 J20

LAND CRUISER 200 4.5 V8 D-4D VDJ200

(2008-2010)



HYDRAULIC CLUTCH SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		

Change every 30000 km/ 24 months

POWER STEERING

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D

Check every 24 months/ 30000 km

COOLING SYSTEM

Capacity: 17,6-18 liter (Automatic transmission + Front and rear heater), Capacity: 14,8-15,2 liter (Automatic transmission + Front heater), Capacity: 15,4 liter (with manual transmission)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

Check every 30000 km, change every 90000 km

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		

Check every 30000 km, change every 150000 km

AIRCONDITIONING COMPRESSOR R-134a

Capacity: 135-155 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM R-134a

Capacity: 740-900 grams, Capacity: 890-990 grams (with rear heater), Capacity: 940-1040 grams (with rear heater + coolbox)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.