TOYOTA (USA / CAN) RAV4 XA40 RAV4 2.5 2WD (USA) ASA42 (2013-2018)



ENGINE 2AR-FE Capacity: 5,3 liter (Dry fill), Capacity: 4,4 liter (Service fill), Filter capacity: 0,4 liter					
USE	CLIMATE				
Normal	Moderate				
PRODUCT RECOMMENDATION 1					
Presteza MSP 0W-20					
Change every 10000 miles/ 12 months					
USE	CLIMATE				
Severe	Moderate				
PRODUCT RECOMMENDATION 1					
Presteza MSP 0W-20					
Change avery E000 miles/6 menths					

Change every 5000 miles/ 6 months

TRANSAXLE AUTOMATIC U760E 6/1 Capacity: 6,5 liter (Dry fill), Capacity: 3,2 liter (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4036				
Check every 30000 miles/ 36 months				

USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4036				
Check even 30000 miles/ 36 months, change even 60000 miles/ 72 months				

Check every 30000 miles/ 36 months, change every 60000 miles/ 72 months

HYDRAULIC BRAKE SYSTEM				
USE	CLIMATE			
Normal	Moderate			
PRODUCT RECOMMENDATION 1				
Drauliquid DOT 3				
Charle avery E000 miles (6 months	·			

Check every 5000 miles/ 6 months

TOYOTA (USA / CAN) RAV4 XA40 RAV4 2.5 2WD (USA) ASA42 (2013-2018)



Capacity: 6,6-6,8 liter					
USE		CLIMATE			
Normal		Moderate			
PRODUCT RECOMMENDATION 1					
Coolant SP 14+					
Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months					
USE		CLIMATE			
First change only		Moderate			
PRODUCT RECOMMENDATION 1					
Coolant SP 14+					
Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months					

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.