TOYOTA (USA / CAN) SIENNA XL20 SIENNA 3.3 V6 24V 2WD (USA) MCL20 (2005-2005)



ENGINE 3MZ-FE Capacity: 5,5 liter (Dry fill), Capacity: 4,7 liter (Service fill), Filter capacity: 0,2 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Presteza MSP 5W-30	Asyntho 5W-30			
		h		

Change every 5000 miles/ 6 months

TRANSAXLE AUTOMATIC U151E 5/1 Capacity: 8,8 liter (Dry fill), Capacity: 3,5 liter (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
SP Matic 4026				
Check every 30000 miles/ 36 months				

USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1			
SP Matic 4026			
Check every 30000 miles/ 36 months, change every 60000 miles/ 72 months			

HYDRAULIC BRAKE/CLUTCH SYSTEM USE CLIMATE Normal Moderate

Drauliquid DOT 3

PRODUCT RECOMMENDATION 1

Check every 5000 miles/ 6 months

POWER STEERING			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
SP Matic 2032	ATF Almirol	ATF Dexron II-D	

Check every 5000 miles/ 6 months

TOYOTA (USA / CAN) SIENNA XL20 SIENNA 3.3 V6 24V 2WD (USA) MCL20 (2005-2005)



Capacity: 11,7 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months				

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.