VAUXHALL CARLTON V87 LOTUS CARLTON 3.6 (1991-1993)



| ENGINE Capacity: 8 liter | | | |
|-----------------------------|--|---------------|--|
| USE | | CLIMATE | |
| Normal | | Mediterranean | |
| PRODUCT RECOMMENDATION 1 | | | |
| Bi-Turbo 20W-50 | | | |
| | | | |
| USE | | CLIMATE | |
| Severe | | Mediterranean | |
| PRODUCT RECOMMENDATION 1 | | | |
| Bi-Turbo 20W-50 | | | |
| Change even 6 months | | | |

Change every 6 months

| DIFFERENTIAL REAR LIMITED SLIP | | |
|--------------------------------|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Gearlube Racing 75W-140 | | |

| TRANSMISSION MANUAL 6/1 | | |
|---------------------------------|----------|--|
| USE | CLIMATE | |
| Normal | Moderate | |
| PRODUCT RECOMMENDATION 1 | | |
| Emperol Racing 10W-60 | | |
| Check every 24 months/ 30000 km | | |

| HYDRAULIC BRAKE SYSTEM | | | |
|---------------------------|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Drauliquid-LV Super DOT 4 | Drauliquid-S DOT 4 | | |

Change every 12 months

| POWER STEERING | | | |
|--------------------------|--|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | | | |
| ATF Dexron II-D | | | |

VAUXHALL CARLTON V87 LOTUS CARLTON 3.6 (1991-1993)



| COOLING SYSTEM Capacity: 10,25 liter | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Coolant -38 Organic NF | |
| Observe success 0.4 manuffla | |

Change every 24 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.