VOLKSWAGEN (VW) (EU) AMAROK 2H AMAROK 2.0 TDI 4MOTION (90 KW) DPF



(2010-2013)

ENGINE CDBA, CNFA Capacity: 7 liter	
USE	CLIMATE
Extended drain (max)	Moderate
PRODUCT RECOMMENDATION 1	
Helar SP LL-03 5W-30	
Change every 40000 km/24 months	
USE	0.04475
USE	CLIMATE
Normal	Moderate
Normal	

SP Gear 1011	Syngear TDL 75W-90		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Normal		Moderate	
USE		CLIMATE	
DIFFERENTIAL FRONT			

DIFFERENTIAL REAR 2H0 Capacity: 2 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Gear 1011		
Check every 48 months/ 60000 km	'	

TRANSFERBOX 0BU Capacity: 0,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 2072		

PRODUCT RECOMMENDATION

VOLKSWAGEN (VW) (EU) AMAROK 2H AMAROK 2.0 TDI 4MOTION (90 KW) DPF



(2010-2013)

(2010/2010)	
TRANSFERBOX LIMITED SLIP 0C7 Capacity: 1,25 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4026	
TRANSMISSION MANUAL 0C6 ZF 6S450 6/1 Capacity: 1,5 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Gear 5015	
Change every 60000 km/ 48 months	<u>'</u>
HYDRAULIC BRAKE SYSTEM Capacity: 1-1,15 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	I I I I I I I I I I I I I I I I I I I
Drauliquid-LV Super DOT 4	
Change every 24 months	I
POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Fluid 3013	
COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

PRODUCT RECOMMENDATION 1

Coolant SP 12 EVO