

VOLVO (EU) 900 940 2.3 B230FB (1990-1995)**ENGINE B230FB**

Capacity: 3,85 liter, Filter capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Emperol 5W-40	Asyntho 5W-30	Emperol 10W-40

Change every 15000 km/ 6 months

USE	CLIMATE
Severe	Mediterranean

PRODUCT RECOMMENDATION 1		
HDX 20W-50		

Change every 7500 km/ 6 months

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1		
Bi-Turbo 15W-40		

*Change every 7500 km/ 6 months***DIFFERENTIAL REAR**

Capacity: 1,6 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		

*Check every 15000 km/ 6 months***TRANSMISSION AUTOMATIC Aisin Warner 3/1**

Capacity: 6,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

Change every 45000 km/ 36 months

VOLVO (EU) 900 940 2.3 B230FB (1990-1995)**TRANSMISSION AUTOMATIC ZF 4/1**

Capacity: 6 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**ATF Dexron II-D***Change every 45000 km/ 36 months***TRANSMISSION MANUAL M47 5/1**

Capacity: 1,55 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**ATF-F (Ford)***Check every 15000 km/ 6 months***TRANSMISSION MANUAL + OVERDRIVE M46 5/1**

Capacity: 2,6 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**ATF-F (Ford)***Check every 15000 km/ 6 months***HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0,65 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Drauliquid-LV Super DOT 4****PRODUCT RECOMMENDATION 2****Drauliquid-S DOT 4***Change every 24 months***POWER STEERING**

Capacity: 0,5 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**ATF-A****PRODUCT RECOMMENDATION 2****ATF-F (Ford)***Check every 15000 km/ 6 months*

VOLVO (EU) 900 940 2.3 B230FB (1990-1995)**COOLING SYSTEM**

Capacity: 9,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant -38 Organic NF*Change every 24 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.