

# ACURA (USA / CAN) RDX TB3/4 RDX 3.5 I-VTEC V6 AWD (2015-2018)

**ENGINE J35Z6**

Capacity: 4,3 liter (Service fill), Filter capacity: 0,3 liter

| USE            | CLIMATE  |
|----------------|----------|
| Flexible (max) | Moderate |

PRODUCT RECOMMENDATION 1

**Presteza MSP 0W-20***Change every 12 months***DIFFERENTIAL REAR**

Capacity: 1,25 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

**TRANSAXLE AUTOMATIC 6/1**

Capacity: 3,1 liter

| USE    | CLIMATE  |
|--------|----------|
| Severe | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Change every 30000 miles*

| USE                       | CLIMATE  |
|---------------------------|----------|
| Severe, first change only | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036***Change every 60000 miles*

| USE                                    | CLIMATE  |
|----------------------------------------|----------|
| Flexible (on board maintenance system) | Moderate |

PRODUCT RECOMMENDATION 1

**SP Matic 4036**

# ACURA (USA / CAN) RDX TB3/4 RDX 3.5 I-VTEC V6 AWD (2015-2018)



## TRANSFERBOX

Capacity: 0,41 liter

| USE                       |                           | CLIMATE                  |
|---------------------------|---------------------------|--------------------------|
| Severe, first change only |                           | Moderate                 |
| PRODUCT RECOMMENDATION 1  | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3 |
| <b>SP Gear 1011</b>       | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b>    |

*Change every 60000 miles*

| USE                      |                           | CLIMATE                  |
|--------------------------|---------------------------|--------------------------|
| Severe                   |                           | Moderate                 |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3 |
| <b>SP Gear 1011</b>      | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b>    |

*Change every 30000 miles*

| USE                                    |                           | CLIMATE                  |
|----------------------------------------|---------------------------|--------------------------|
| Flexible (on board maintenance system) |                           | Moderate                 |
| PRODUCT RECOMMENDATION 1               | PRODUCT RECOMMENDATION 2  | PRODUCT RECOMMENDATION 3 |
| <b>SP Gear 1011</b>                    | <b>Syngear TDL 75W-90</b> | <b>Syngear 75W-90</b>    |

## HYDRAULIC BRAKE SYSTEM

Capacity: 0-0 liter (Between min and max.)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Drauliquid DOT 3</b>  |  |          |

*Change every 36 months*

## COOLING SYSTEM

Capacity: 7,4 liter (Service fill)

| USE                                    |  | CLIMATE  |
|----------------------------------------|--|----------|
| Flexible (on board maintenance system) |  | Moderate |
| PRODUCT RECOMMENDATION 1               |  |          |
| <b>Coolant SP 14+</b>                  |  |          |

## AIRCONDITIONING COMPRESSOR

Capacity: 70-82 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

## AIRCONDITIONING SYSTEM

Capacity: 430-480 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUCT RECOMMENDATION

# ACURA (USA / CAN) RDX TB3/4 RDX 3.5 I-VTEC V6 AWD (2015-2018)



*advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*