ACURA (USA / CAN) RL KA9, KB1, KB2 RL 3.5 (CAN) (2001-2004)



ENGINE C35A Capacity: 5,3 liter (Dry fill), Capacity: 4,6 lit	er (Service fill), Filter capacity: 0,3 liter	
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Emperol 10W-40		
Change every 6000 km/ 6 months		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Asyntho 5W-30		
Change every 6000 km/ 6 months		

DIFFERENTIAL FRONT Capacity: 1-1,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-4 80W-90	Gearlube GL-5 80W-90	
Change every 24000 km/ 12 months		
USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	

Gearlube GL-5 80W-90

Change every 48000 km/24 months

Gearlube GL-4 80W-90

TRANSMISSION AUTOMATIC 4/1 Capacity: 8,6 liter (Dry fill), Capacity: 3 liter	(Service fill)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		
Change every 48000 km/ 24 months		
USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		
Change every 96000 km/ 36 months		

ACURA (USA / CAN) RL KA9, KB1, KB2 RL 3.5 (CAN) (2001-2004)



HYDRAULIC BRAKE SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Check every 1 months, change every 36 months

POWER STEERING

We are unable to give a standard recommendation for this component. Please contact our service department.

JSE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Change every 96000 km/ 60 months	
JSE	CLIMATE
First change only	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

AIRCONDITIONING COMPRESSOR

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.