

PRODUCT RECOMMENDATION

# ALFA ROMEO (EU) MITO 955 MITO 1.4 16V TURBO MULTI AIR TCT (103 KW) EURO 5 (2013-2014)



**ENGINE** 955B1000  
Capacity: 3,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Specialsynth MSP 5W-40**

*Change every 30000 km/ 24 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

**Specialsynth MSP 5W-40**

*Check every 3000 km, change every 10000 km/ 12 months*

**TRANSAXLE SEMI-AUTOMATIC** C635 DDCT 6/1

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1081**

PRODUCT RECOMMENDATION 2

**SP Gear 5015**

*Check every 24 months/ 30000 km*

**HYDRAULIC ACTUATION GEARBOX**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3023**

*Check every 24 months/ 30000 km*

**HYDRAULIC BRAKE/CLUTCH SYSTEM**

Capacity: 0-0 liter (Between min and max.)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4**

PRODUCT RECOMMENDATION 2

**Drauliquid-S DOT 4**

*Change every 30000 km/ 24 months*

# ALFA ROMEO (EU) MITO 955 MITO 1.4 16V TURBO MULTI AIR TCT (103 KW) EURO 5 (2013-2014)

**COOLING SYSTEM**

Capacity: 6 liter

USE	CLIMATE
Normal	Moderate

## PRODUCT RECOMMENDATION 1

**Coolant SP 14+**

Check every 30000 km

**AIRCONDITIONING**

Capacity: 460-540 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

**AIRCONDITIONING COMPRESSOR**

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*