ENGINE RB25DE

NISSAN (EU) SKYLINE R31/R32/R33/R34 SKYLINE 2.5 R34 (1999-2002)



JSE	·	CLIMATE
SP Gear 1011	SP Gear 5015	Gearlube RPC 75W-80
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Normal		Moderate
JSE		CLIMATE
Gearlube GL-5 85W-140		
PRODUCT RECOMMENDATION 1		
Normal		Mediterranean
JSE 		CLIMATE
DIFFERENTIAL FRONT F160 Capacity: 1 liter		
Asyntho 5W-30		
PRODUCT RECOMMENDATION 1		
Normal		Cold
JSE		CLIMATE
Emperol 10W-40		
PRODUCT RECOMMENDATION 1		
Normal		Moderate

Normal

SP Gear 1081

PRODUCT RECOMMENDATION 1

Cold

NISSAN (EU) SKYLINE R31/R32/R33/R34 SKYLINE 2.5 R34 (1999-2002)



DIFFERENTIAL REAR R200 Capacity: 1,5 liter		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 85W-140		
Change every 100000 km/24 months		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	Gearlube RPC 75W-80
Change every 100000 km/ 24 months		
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
SP Gear 1081		
Change every 100000 km/24 months		

E-TS ACTUATOR

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSFERBOX	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4026	

CLIMATE
Moderate
JCT RECOMMENDATION 2
Almirol

NISSAN (EU) SKYLINE R31/R32/R33/R34 SKYLINE 2.5 R34 (1999-2002)



TRANSMISSION MANUAL 5/1 Capacity: 4,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90
Change avant 100000 km²/24 mant	-	·

Change every 100000 km/24 months

HYDRAULIC BRAKE/CLUTCH SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Change every 24 months	

POWER STEERING Capacity: 1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Matic 2032	ATF Almirol	

COOLING SYSTEM Capacity: 9,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	
Change every 24 months	<u> </u>

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.