

CATERPILLAR TRACKED EXCAVATORS

6030 DHL CATERPILLAR C27 (2X)

**ENGINE** Caterpillar C27

Capacity: 68 liter (each engine), Capacity: 260 liter (Engine oil tank (optional))

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Check every 10 hours, change every 6 months/ 250 hours

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Armado Synth 5W-30	Dieselfleet LSP Ultra 10W-30	

*Check every 10 hours, change every 6 months/ 250 hours***ENGINE CRANE DRIVE**

Capacity: 5,5 liter

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Check every 10 hours, change every 6 months/ 250 hours

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Armado Synth 5W-30	Dieselfleet LSP Ultra 10W-30	

*Check every 10 hours, change every 6 months/ 250 hours***HYDRAULIC SYSTEM**

Capacity: 2500 liter (Hydraulic tank), Capacity: 3500 liter (Total system volume)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Perlus H 68		

Check every 10 hours, change every 36 months/ 5000 hours

CATERPILLAR TRACKED EXCAVATORS

6030 DHL CATERPILLAR C27 (2X)



HYDRAULIC SYSTEM CRANE

Capacity: 50 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Perlus H 68*Check every 10 hours, change every 1000 hours/ 12 months*

GREASE POINTS/NIPPLES AUTOMATIC LUBRICATION SYSTEM

Capacity: 450 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

MoS2 Grease EP 2*Check every 10 hours*

COOLING SYSTEM

Capacity: 150 liter (each engine)

USE

Extended

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 17*Check every 10 hours, change every 72 months/ 12000 hours*

PUMP TRANSFER GEARBOX

Capacity: 15,5 liter (each (2x))

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Abacot MEP Synth 220

PRODUCT RECOMMENDATION 2

Abacot MEP 220*Check every 60 hours, change every 1000 hours*

PUMP TRANSFER GEARBOX PRE-CHAMBERS (HYDRAULIC PUMPS)

Capacity: 0,2 liter (each (2x))

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1

Abacot MEP Synth 220

PRODUCT RECOMMENDATION 2

Abacot MEP 220*Check every 10 hours, change every 1000 hours*

CATERPILLAR TRACKED EXCAVATORS

6030 DHL CATERPILLAR C27 (2X)



PUMP TRANSFER GEARBOX PRE-CHAMBERS (WORKING PUMPS)

Capacity: 1,4 liter (each (4x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours

SWING DRIVE GEARBOX P/N 3676892

Capacity: 26 liter (each (2x))

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Abacot MEP 320		

Check every 10 hours, change every 1000 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours

SWING DRIVE GEARBOX P/N 3692960

Capacity: 26 liter (each (2x))

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Abacot MEP 320		

Check every 10 hours, change every 1000 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours

CATERPILLAR TRACKED EXCAVATORS

6030 DHL CATERPILLAR C27 (2X)


SWING DRIVE GEARBOX BRAKE CHAMBERS P/N 3676892

Capacity: 6 liter (each (2x))

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Abacot MEP 320		

Check every 10 hours, change every 1000 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours
TRAVEL GEAR BRAKE CHAMBERS

Capacity: 0,5 liter (each (4x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 500 hours, change every 36 months/ 5000 hours
TRAVEL GEARBOX

Capacity: 60 liter (each (2x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 500 hours, change every 36 months/ 5000 hours
TRAVEL GEARBOX PRE-CHAMBERS (SPUR GEARS SECTION)

Capacity: 7 liter (each (2x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 500 hours, change every 36 months/ 5000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.