

# CATERPILLAR VIBRATORY COMPACTORS

## CB/CC/CD/CP/CS CB-434C 4DN (2000-2004)



**ENGINE** Caterpillar 3054NA  
Capacity: 6,9 liter

| USE                           |                               | CLIMATE                       |
|-------------------------------|-------------------------------|-------------------------------|
| Normal                        |                               | Mediterranean                 |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |

*Check every 10 hours, change every 250 hours/ 3 months*

| USE                        |                               | CLIMATE  |
|----------------------------|-------------------------------|----------|
| Normal                     |                               | Moderate |
| PRODUCT RECOMMENDATION 1   | PRODUCT RECOMMENDATION 2      |          |
| <b>Agrisynt LSP 10W-40</b> | <b>Multifleet SHPD 10W-40</b> |          |

*Check every 10 hours, change every 250 hours/ 3 months*

| USE                           |                               | CLIMATE       |
|-------------------------------|-------------------------------|---------------|
| Alternative (acceptable)      |                               | Mediterranean |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2      |               |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |               |

*Check every 10 hours, change every 250 hours/ 3 months*

| USE                         |                               | CLIMATE                       |
|-----------------------------|-------------------------------|-------------------------------|
| Alternative (acceptable)    |                               | Moderate                      |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Synfleet SHPD 10W-40</b> | <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 10W-40</b> |

*Check every 10 hours, change every 250 hours/ 3 months*

# CATERPILLAR VIBRATORY COMPACTORS

## CB/CC/CD/CP/CS CB-434C 4DN (2000-2004)



### HYDRAULIC SYSTEM

Capacity: 57 liter (Hydraulic tank)

| USE                      |                          | CLIMATE       |
|--------------------------|--------------------------|---------------|
| Normal                   |                          | Mediterranean |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |               |
| <b>Multifleet SCD 40</b> | <b>Multifleet SCD 30</b> |               |

Check every 10 hours, change every 1000 hours/ 12 months

| USE                           |                             | CLIMATE                     |
|-------------------------------|-----------------------------|-----------------------------|
| Normal                        |                             | Moderate                    |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2    | PRODUCT RECOMMENDATION 3    |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Kroontrak MTH 10W-30</b> | <b>Synfleet SHPD 10W-40</b> |

Check every 10 hours, change every 1000 hours/ 12 months

| USE                       |  | CLIMATE |
|---------------------------|--|---------|
| Normal                    |  | Cold    |
| PRODUCT RECOMMENDATION 1  |  |         |
| <b>Multifleet SCD 10W</b> |  |         |

Check every 10 hours, change every 1000 hours/ 12 months

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Biodegradable oil         |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Perlus Biosynth 46</b> |  |          |

Check every 10 hours, change every 1000 hours/ 12 months

### GREASE POINTS/NIPPLES

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>MoS2 Grease EP 2</b>  |  |          |

### COOLING SYSTEM

Capacity: 21 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Coolant SP 17</b>     |  |          |

Check every 10 hours, change every 36 months/ 3000 hours

# CATERPILLAR VIBRATORY COMPACTORS

## CB/CC/CD/CP/CS CB-434C 4DN (2000-2004)



| VIBRATORY UNIT                                                      |  |          |
|---------------------------------------------------------------------|--|----------|
| Capacity: 11 liter                                                  |  |          |
| USE                                                                 |  | CLIMATE  |
| Normal                                                              |  | Moderate |
| PRODUCT RECOMMENDATION 1                                            |  |          |
| <b>Abacot MEP HD 220</b>                                            |  |          |
| Check every 3 months/ 250 hours, change every 12 months/ 1000 hours |  |          |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*