CATERPILLAR SOIL COMPACTORS 816B (TILL 2010)



| ENGINE | | |
|--------------------------|--------------------------|--------------------------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Agridiesel CRD+ 15W-40 | Synfleet SHPD 10W-40 | Dieselfleet CD+ 15W-40 |
| 01 | · | · |

Change every 250 hours

| DIFFERENTIAL | | |
|--|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Gear Oil Alcat 30 | Gear Oil Alcat 50 | |
| Check every 500 hours, change every 20 | 000 hours | |
| USE | | CLIMATE |
| Normal | | Arctic |
| PRODUCT RECOMMENDATION 1 | | |
| Gear Oil Alcat 10W | | |
| Check every 500 hours, change every 20 | 000 hours | |

| Gear Oil Alcat 30 | Gear Oil Alcat 50 | | |
|--------------------------|--------------------------|----------|--|
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Normal | | Moderate | |
| USE | | CLIMATE | |
| USE | | CLIMATE | |

Check every 500 hours, change every 2000 hours

| USE | | CLIMATE |
|---|-----------|---------|
| Normal | | Arctic |
| PRODUCT RECOMMENDATION 1 | | |
| Gear Oil Alcat 10W | | |
| Charle avery 500 hours, shangs avery 20 | 100 hours | |

Check every 500 hours, change every 2000 hours

CATERPILLAR SOIL COMPACTORS 816B (TILL 2010)



| TRANSMISSION Powershift | | |
|---|--------------------------|---------------|
| use Normal | | CLIMATE |
| | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Gear Oil Alcat 30 | Gear Oil Alcat 50 | |
| Check every 500 hours, change every 100 | 00 hours | |
| USE | | CLIMATE |
| Normal | | Cold |
| PRODUCT RECOMMENDATION 1 | | |
| Gear Oil Alcat 10W | | |
| Check every 500 hours, change every 100 | 00 hours | |

| HYDRAULIC SYSTEM | | |
|------------------------------------|--------------------------|--------------------------|
| use Normal | | CLIMATE |
| | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Agridiesel CRD+ 15W-40 | Kroontrak MTH 10W-30 | Synfleet SHPD 10W-40 |
| Check every 500 hours, change ever | y 2000 hours | |

HYDRAULIC BRAKE SYSTEM

USE

CLIMATE

Normal Moderate

PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 PRODUCT RECOMMENDATION 3

Drauliquid-LV Super DOT 4 Drauliquid-S DOT 4 Drauliquid DOT 3

| GREASE POINTS/NIPPLES | |
|--------------------------|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| MoS2 Grease EP 2 | |

CATERPILLAR SOIL COMPACTORS 816B (TILL 2010)



| STEERING GEAR SHAFT LOWER | R BEARING | | |
|---------------------------|--------------------------|----------|--|
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Gear Oil Alcat 30 | Gear Oil Alcat 50 | | |
| USE | | CLIMATE | |
| Normal | | Arctic | |
| PRODUCT RECOMMENDATION 1 | | | |
| Gear Oil Alcat 10W | | | |
| | | | |
| STEERING GEAR UNIT | | | |
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Gear Oil Alcat 30 | Gear Oil Alcat 50 | | |
| USE | | CLIMATE | |
| Normal | | Arctic | |
| PRODUCT RECOMMENDATION 1 | | | |
| Gear Oil Alcat 10W | | | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.