CATERPILLAR ASPHALT PAVERS AP/BG AP-1000B AGP, 7HN



ENGINE Capacity: 20 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40		
Change every 250 hours/ 1 months				
USE		CLIMATE		
Normal		Cold		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40			
Change every 250 hours/ 1 months	•			

HUB REDUCTIONS Capacity: 5 liter (each hub)			
USE	CLIMATE		
Normal	Mediterranean		
PRODUCT RECOMMENDATION 1			
Gear Oil Alcat 50			
Change every 500 hours/ 3 months			

HYDRAULIC SYSTEM Capacity: 189 liter			
USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1			
Gear Oil Alcat 30			
Change every 1000 hours/ 12 month	ins in the second secon		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Kroontrak CVT 10W-40	Agridiesel CRD+ 15W-40	Agrifluid HT-Plus	
Change every 1000 hours/ 12 monti	ns		

CATERPILLAR ASPHALT PAVERS AP/BG AP-1000B AGP, 7HN



COOLING SYSTEM Capacity: 37 liter		
USE		CLIMATE
Preferred		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 17		
Change every 6000 hours/ 72 months		
USE		CLIMATE
Alternative (acceptable)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF
Change every 24 months/ 3000 hours		

PUMP DRIVE UNIT Capacity: 2,6 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90			
Change every 1000 hours/ 12 month	hs	'		

REDUCTION UNITS AUGER ASSEMBLY AND CONVEYOR(S) Capacity: 0,65-1 liter (each side)			
CLIMATE			
Mediterranean			

PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2

Gearlube GL-5 85W-140 Unigear LS GL-3/GL-5 85W-140

Change every 500 hours/ 3 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.