CATERPILLAR TRACKED EXCAVATORS 6015 DHB CUMMINS QSK19



ENGINE Cummins QSK19 Capacity: 66 liter (each engine)		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40
Check every 10 hours, change every 6 mo	nths/ 250 hours	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Armado Synth 5W-30	Dieselfleet LSP Ultra 10W-30	

Check every 10 hours, change every 6 months/ 250 hours

HYDRAULIC SYSTEM Capacity: 1300 liter (Hydraulic tank), Capacity: 1700 liter (Total system volume)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 68		
Check even (10 hours, chenge even) 26 menths/ 5000 hours		

Check every 10 hours, change every 36 months/ 5000 hours

GREASE POINTS/NIPPLES AUTOMATIC LUBRICATION SYSTEM Capacity: 10 kg		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		
01 1 101		

Check every 10 hours

COOLING SYSTEM Capacity: 115 liter (each engine)		
USE		CLIMATE
Extended		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 17		
Charle avenu 10 hours abanda avenu 72 m	ontho/ 12000 hours	

Check every 10 hours, change every 72 months/ 12000 hours

CATERPILLAR TRACKED EXCAVATORS 6015 DHB CUMMINS QSK19



PUMP TRANSFER GEARBOX Capacity: 13,5 liter (each (2x))		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 60 hours, change every 1000 hours

PUMP TRANSFER GEARBOX PRE-CHAMBERS (HYDRAULIC PUMPS) Capacity: 0,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours

PUMP TRANSFER GEARBOX PRE-CHAMBERS (WORKING PUMPS) Capacity: 1,4 liter (each (2x))		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 10 hours, change every 1000 hours

SWING DRIVE GEARBOX Capacity: 26 liter (each (2x))		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Abacot MEP 320		
Check every 10 hours, change every 1000 hours		
USE		CLIMATE
Normal		Moderate

Abacot MEP Synth 220	Abacot MEP 220	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	

Check every 10 hours, change every 1000 hours

CATERPILLAR TRACKED EXCAVATORS 6015 DHB CUMMINS QSK19



TRAVEL REDUCTION GEARBOX P/N 3709660 Capacity: 13,5 liter (each (2x))		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	

Check every 500 hours, change every 36 months/ 5000 hours

TRAVEL REDUCTION GEARBOX P/N 3712319 Capacity: 18 liter (each (2x))		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220 Abacot MEP 220		
	:	

Check every 500 hours, change every 36 months/ 5000 hours

TRAVEL REDUCTION GEARBOX P/N 3749594 Capacity: 18 liter (each (2x))		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	Abacot MEP 220	
Check every 500 hours, change every 36 months/ 5000 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.