

# CATERPILLAR BULLDOZERS/TRACKED TRACTORS D3B (1979-1992)



## ENGINE

### USE

Normal

### CLIMATE

Mediterranean

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 30***Change every 250 hours*

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30**

### PRODUCT RECOMMENDATION 2

**Synfleet SHPD 10W-40**

### PRODUCT RECOMMENDATION 3

**Multifleet SHPD 10W-40***Change every 250 hours*

### USE

Normal

### CLIMATE

Arctic

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 10W***Change every 250 hours*

## DIFFERENTIAL + HUB REDUCTIONS

### USE

Normal

### CLIMATE

Moderate

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 50***Change every 1000 hours/ 12 months*

## TRANSMISSION

### USE

Normal

### CLIMATE

Mediterranean

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 30***Change every 1000 hours/ 12 months*

### USE

Normal

### CLIMATE

Arctic

### PRODUCT RECOMMENDATION 1

**Multifleet SCD 10W***Change every 1000 hours/ 12 months*

# CATERPILLAR BULLDOZERS/TRACKED TRACTORS D3B (1979-1992)



## HYDRAULIC SYSTEM

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1 <b>Multifleet SCD 30</b>		
--	--	--

*Change every 1000 hours/ 12 months*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 <b>Kroontrak MTH 10W-30</b>	PRODUCT RECOMMENDATION 2 <b>Synfleet SHPD 10W-40</b>	PRODUCT RECOMMENDATION 3 <b>Multifleet SHPD 10W-40</b>
---	---	---

*Change every 1000 hours/ 12 months*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1 <b>Multifleet SCD 10W</b>		
---	--	--

*Change every 1000 hours/ 12 months*

## BEVEL GEARS

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1 <b>Multifleet SCD 50</b>		
--	--	--

*Change every 1000 hours/ 12 months*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1 <b>Multifleet SCD 30</b>		
--	--	--

*Change every 1000 hours/ 12 months*

# CATERPILLAR BULLDOZERS/TRACKED TRACTORS D3B (1979-1992)



## TRACK ROLLERS & IDLERS

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Kroontrak MTH 10W-30</b>	<b>Synfleet SHPD 10W-40</b>	<b>Multifleet SHPD 10W-40</b>

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 10W</b>		

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*