PRODUCT RECOMMENDATION

# CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CB-534B 4JL

**ENGINE** Caterpillar
Capacity: 9 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Multifleet SCD 40** | **Multifleet SCD 30** | |

*Check every 10 hours, change every 250 hours/ 3 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **Agridiesel CRD+ 15W-40** | **Kroontrak MTH 10W-30** | **Synfleet SHPD 10W-40** |

*Check every 10 hours, change every 250 hours/ 3 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Cold |
| **PRODUCT RECOMMENDATION 1** | | |
| **Multifleet SCD 10W** | | |

*Check every 10 hours, change every 250 hours/ 3 months*

**TRAVEL REDUCTION UNIT FRONT**
Capacity: 2 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Gearlube GL-5 85W-140** | **Unigear LS GL-3/GL-5 85W-140** | |

*Check every 50 hours, change every 1000 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **SP Gear 1011** | **Syngear TDL 75W-90** | **Gearlube GL-5 80W-90** |

*Check every 50 hours, change every 1000 hours/ 12 months*

| USE | | CLIMATE |
|---|---|---|
| Normal | | Arctic |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **SP Gear 5015** | **SP Gear 1071** | |

*Check every 50 hours, change every 1000 hours/ 12 months*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CB-534B 4JL

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Gearlube GL-5 85W-140** | **Unigear LS GL-3/GL-5 85W-140** | |
| *Change every 250 hours/ 6 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **SP Gear 1011** | **Syngear TDL 75W-90** | **Gearlube GL-5 80W-90** |
| *Change every 250 hours/ 6 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Arctic |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **SP Gear 5015** | **SP Gear 1071** | |
| *Change every 250 hours/ 6 months* | | |

**TRAVEL REDUCTION UNIT REAR**
Capacity: 2,4 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Gearlube GL-5 85W-140** | **Unigear LS GL-3/GL-5 85W-140** | |
| *Check every 50 hours, change every 1000 hours/ 12 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **SP Gear 1011** | **Syngear TDL 75W-90** | **Gearlube GL-5 80W-90** |
| *Check every 50 hours, change every 1000 hours/ 12 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Normal | | Arctic |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **SP Gear 5015** | **SP Gear 1071** | |
| *Check every 50 hours, change every 1000 hours/ 12 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Gearlube GL-5 85W-140** | **Unigear LS GL-3/GL-5 85W-140** | |
| *Change every 250 hours/ 6 months* | | |

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CB-534B 4JL

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **SP Gear 1011** | **Syngear TDL 75W-90** | **Gearlube GL-5 80W-90** |
| *Change every 250 hours/ 6 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Initial service | | Arctic |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **SP Gear 5015** | **SP Gear 1071** | |
| *Change every 250 hours/ 6 months* | | |

## HYDRAULIC SYSTEM
Capacity: 91 liter

| USE | | CLIMATE |
|---|---|---|
| Normal | | Mediterranean |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Multifleet SCD 30** | **Gear Oil Alcat 30** | |
| *Check every 10 hours, change every 1000 hours/ 12 months* | | |

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | **PRODUCT RECOMMENDATION 3** |
| **Kroontrak MTH 10W-30** | **Synfleet SHPD 10W-40** | **Dieselfleet CD+ 15W-40** |
| *Check every 10 hours, change every 1000 hours/ 12 months* | | |

## GREASE POINTS/NIPPLES

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | | |
| **MoS2 Grease EP 2** | | |

## VIBRATORY BEARING UNIT
Capacity: 11,8 liter (each)

| USE | | CLIMATE |
|---|---|---|
| Normal | | Moderate |
| **PRODUCT RECOMMENDATION 1** | **PRODUCT RECOMMENDATION 2** | |
| **Abacot MEP Synth 220** | **Abacot MEP 220** | |
| *Check every 50 hours, change every 1000 hours/ 12 months* | | |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CB-534B 4JL

*information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367