

PRODUCT RECOMMENDATION

# AUDI (EU) A3, S3, RS 3 8P A3 2.0 TDI (103 KW) (2003-2006)



## ENGINE BKD (PD)

Capacity: 3,8 liter (Service fill)

USE	CLIMATE
Extended drain (max)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

Change every 50000 km/ 24 months

USE	CLIMATE
Extended drain (max), from chassis no. 8P4A077875	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

Change every 30000 km/ 24 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Helar SP LL-03 5W-30</b>	<b>Presteza MSP 5W-30</b>	<b>Specialsynth MSP 5W-40</b>

Change every 15000 km/ 12 months

## TRANSAXLE MANUAL 02Q 6/1

Capacity: 2,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>SP Gear 1081</b>	<b>SP Gear 5015</b>

## TRANSAXLE SEMI-AUTOMATIC 02E 6/1

Capacity: 6,9-7,2 liter (Dry fill), Capacity: 6 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
<b>SP Matic 2072</b>	

Change every 60000 km

PRODUCT RECOMMENDATION

# AUDI (EU) A3, S3, RS 3 8P A3 2.0 TDI (103 KW) (2003-2006)



## HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Drauliquid-LV Super DOT 4</b>		

*Change every 24 months*

## COOLING SYSTEM

Capacity: 0-0 liter (Between min and max.)

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Coolant SP 12</b>	<b>Coolant SP 12 EVO</b>	

*Check every 24 months/ 30000 km*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*