ATLET STACKERS/PICKERS TERGO UHD-TF 250 (2011 AND AFTER)



TRANSMISSION		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
Change every 3000 hours	·	
USE		CLIMATE
Cold store (stay-in & in-out)		Arctic
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1011	Syngear TDL 75W-90	
Change every 3000 hours		

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 80W-90		
Change every 3000 hours	·	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1011	Syngear TDL 75W-90	

ATLET STACKERS/PICKERS TERGO UHD-TF 250 (2011 AND AFTER)



HYDRAULIC SYSTEM Capacity: 37 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
Perlus Biosynth 32	Perlus H 32			
Check every 10 hours, change every 3000 hours				
USE		CLIMATE		
Cold store (stay-in & in-out)		Arctic		
PRODUCT RECOMMENDATION 1				
SP Fluid 3013				
Check every 10 hours, change every 3000 hours				
USE		CLIMATE		
Biodegradable oil		Moderate		
PRODUCT RECOMMENDATION 1				
Perlus Biosynth 32				
Check every 10 hours, change every 3000 hours				

GREASE POINTS/NIPPLES	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
MoS2 Grease EP 2	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.