

BARFORD SITE DUMPERS SX8000 IVECO

N45MSSX00 (2007 AND AFTER)


ENGINE Iveco N45 MSSX00

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1
Agridiesel CRD+ 15W-40
Change every 300 hours

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Agrisynth LSP Ultra 10W-40
PRODUCT RECOMMENDATION 2
Agrisynth LSP 10W-40
PRODUCT RECOMMENDATION 3
Armado Synth LSP Ultra 10W-40
Change every 300 hours
DIFFERENTIAL FRONT

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 600 hours
DIFFERENTIAL REAR

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 600 hours
TRANSFERBOX O & S

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
ATF-F (Ford)
Change every 1200 hours/ 12 months

BARFORD SITE DUMPERS SX8000 IVECO

N45MSSX00 (2007 AND AFTER)



TRANSMISSION PowerShuttle/ITL

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF-F (Ford)		

Change every 1200 hours/ 12 months

HYDRAULIC SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Perlus H 32	Perlus AF 32	

Change every 1200 hours/ 12 months

HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 15		

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

COOLING SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant -38 Organic NF		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.