## BOBCAT SKID STEER LOADERS \$150 KUBOTA V2203-M-DI-E2B (2004-2013)



ENGINE Kubota V2203-M-DI-E2B Capacity: 8,7 liter		
JSE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SHPD 20W-50	Multifleet SCD 40	
Check every 10 hours, change every	250 hours/ 12 months	
JSE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Multifleet SCD 30		
Check every 10 hours, change every	250 hours/ 12 months	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40
Check every 10 hours, change every	250 hours/ 12 months	
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		
Check every 10 hours, change every	250 hours/ 12 months	
JSE		CLIMATE T : I
Initial service		Tropical
PRODUCT RECOMMENDATION 1  Multifleet SHPD 20W-50	PRODUCT RECOMMENDATION 2	
	Multifleet SCD 40	
Check every 10 hours, change every	50 hours	
JSE		CLIMATE
nitial service		Mediterranean
PRODUCT RECOMMENDATION 1  Multifleet SCD 30		
Check every 10 hours, change every	50 nours	
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40

Perlus AF 100

## BOBCAT SKID STEER LOADERS \$150 KUBOTA V2203-M-DI-E2B (2004-2013)



use Initial service		CLIMATE
PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		
Check every 10 hours, change every 50 h	ours	

Check every 50 hours, change every 1000 hours/ 12 months

Normal

PRODUCT RECOMMENDATION 1

Perlus H 46

Product Recommendation 2

Perlus H 68

Product Recommendation 2

Perlus H 68

Product Recommendation 3

Perlus AF 46

Check every 50 hours, change every 1000 hours/ 12 months

USE		CLIMATE
Acceptable		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Kroontrak MTH 10W-30	HDX 10W	

Check every 50 hours, change every 1000 hours/ 12 months

## BOBCAT SKID STEER LOADERS \$150 KUBOTA V2203-M-DI-E2B (2004-2013)



HYDRAULIC SYSTEM HYDROSTATIO Capacity: 18,2 liter (Hydraulic tank), Cap		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Perlus AF 100		
Check every 50 hours, change every 10	00 hours/ 12 months	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Perlus H 46	Perlus H 68	Perlus AF 46
Check every 50 hours, change every 10	00 hours/ 12 months	
USE		CLIMATE
Acceptable		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Kroontrak MTH 10W-30	HDX 10W	
Check every 50 hours, change every 10	00 hours/ 12 months	·
USE		CLIMATE
Biodegradable oil		Moderate
PRODUCT RECOMMENDATION 1		
Perlus Biosynth 46		
Check every 500 hours, change every 1	000 hours/ 12 months	

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Change every 10 hours	·	

COOLING SYSTEM Capacity: 10,4 liter, Capacity: 11,4 li	ter (with 4 zone airconditioning system)	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	Coolant -26	
Check every 10 hours, change every	/ 24 months	

PRODUCT RECOMMENDATION

## BOBCAT SKID STEER LOADERS S150 KUBOTA V2203-M-DI-E2B (2004-2013)



The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.