JCB TRACKED EXCAVATORS 7C (1969-1971)



ENGINE Ford 2700		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		
USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		
ENGINE Perkins 1000		
USE		CLIMATE
Normal	l .	Mediterranean
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40	
Diesemeet CD+ 15W-40	Multifleet SHPD 15W-40	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		
USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		

JCB TRACKED EXCAVATORS 7C (1969-1971)



PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 USE Normal Normal Nultifleet SHPD 15W-40 USE Normal Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40 Multifleet SHPD 15W-40 USE Normal Moderate CLIMATE Moderate Normal Moderate CLIMATE Moderate	USE		CLIMATE
Dieselfleet CD+ 15W-40 JUSE Normal Noderate RODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 JUSE Normal Noutrate Normal Arctic RODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 JUSE Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 JUSE Normal	Normal		Mediterranean
Normal Noderate Normal Multifleet SHPD 10W-40 JUSE Normal Normal Arctic CLIMATE Normal Arctic CLIMATE Mediterranean PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 Multifleet SHPD 10W-40 JUSE Normal Arctic CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic CLIMATE Arctic CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic Mediterranean			
Normal Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 JSE Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 JSE Normal Mediterranean PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 Multifleet SHPD 10W-40 JSE Normal Moderate CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic Moderate HYDRAULIC SYSTEM JSE Normal Multifleet SCD 10W	Dieseifieet CD+ 15W-40	Multifleet SHPD 15W-40	
Multifleet SHPD 10W-40 USE Normal Normal ENGINE Perkins T4.236, T6.354 USE Normal ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 Multifleet SHPD 10W-40 USE Normal Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal Multifleet SCD 10W CLIMATE Arctic	USE		CLIMATE
Multifleet SHPD 10W-40 USE Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 USE Normal Multifleet SHPD 10W-40 USE Normal Multifleet SHPD 10W-40 USE Normal Multifleet SHPD 10W-40 USE Normal Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal ELIMATE Moderate CLIMATE Moderate CLIMATE Moderate CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic	Normal		Moderate
USE NOrmal Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE NOrmal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 USE NOrmal Multifleet SHPD 10W-40 USE NOrmal Multifleet SHPD 10W-40 USE NOrmal Multifleet SCD 10W HYDRAULIC SYSTEM USE NOrmal MUSE NOrmal Multifleet SCD 10W CLIMATE Arctic CLIMATE Moderate CLIMATE Arctic CLIMATE Multifleet SCD 10W	PRODUCT RECOMMENDATION 1		
Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 USE Normal Normal Multifleet SHPD 15W-40 USE Normal Multifleet SHPD 10W-40 USE CLIMATE Moderate CLIMATE Moderate CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE CLIMATE Arctic CLIMATE Moderate CLIMATE Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal Multifleet SCD 10W CLIMATE Mediterranean	Multifleet SHPD 10W-40		
Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 2 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 CLIMATE Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 Multifleet SHPD 10W-40 Multifleet SHPD 10W-40 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal Arctic CLIMATE Moderate CLIMATE Moderate CLIMATE Multifleet SCD 10W	JSE		CLIMATE
ENGINE Perkins T4.236, T6.354 JSE CLIMATE Mediterranean PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 JSE CLIMATE Mediterranean PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40 JSE CLIMATE Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 JSE CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 JSE CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM JSE CLIMATE Mediterranean			
ENGINE Perkins T4.236, T6.354 USE Normal PRODUCT RECOMMENDATION 2 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 USE Normal Multifleet SHPD 10W-40 USE CLIMATE Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE CLIMATE Arctic Multifleet SCD 10W CLIMATE Arctic CLIMATE Arctic Multifleet SCD 10W Arctic			
Normal Normal Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Wultifleet SHPD 15W-40 USE Normal PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Arctic CLIMATE Arctic Mediterranean	Multifleet SCD 10W		
Normal Normal Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Wultifleet SHPD 15W-40 USE Normal PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Arctic CLIMATE Arctic Mediterranean			
Normal Normal Normal PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Multifleet SHPD 15W-40 LIMATE Normal PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40 LIMATE Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 LIMATE Normal Multifleet SHPD 10W-40 LIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM LIMATE Normal Mediterranean			
Normal PRODUCT RECOMMENDATION 1 PRODUCT RECOMMENDATION 2 Dieselfleet CD+ 15W-40 DUSE Normal PRODUCT RECOMMENDATION 2 DUSE Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 DUSE Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 DUSE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM DUSE NOrmal CLIMATE Normal Multifleet SCD 10W HYDRAULIC SYSTEM DUSE NORMAN Mediterranean			
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40 Diese			
Dieselfleet CD+ 15W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W CLIMATE Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W CLIMATE Arctic CLIMATE Arctic Multifleet SCD 10W CLIMATE Arctic Multifleet SCD 10W			Mediterranean
USE NORMAI Moderate PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE CLIMATE NORMAI Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE CLIMATE NORMAI Mediterranean			
Normal PRODUCT RECOMMENDATION 1 Multifleet SHPD 10W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Arctic CLIMATE Arctic CLIMATE Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal Mediterranean	Dieseifieet CD+ 15W-40	Multifleet SHPD 15W-40	
Multifleet SHPD 10W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Arctic CLIMATE Mediterranean	USE		CLIMATE
Multifleet SHPD 10W-40 USE Normal PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Mediterranean	Normal		Moderate
USE Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE Normal CLIMATE Mediterranean	PRODUCT RECOMMENDATION 1		
Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE CLIMATE Normal Mediterranean	Multifleet SHPD 10W-40		
Normal Arctic PRODUCT RECOMMENDATION 1 Multifleet SCD 10W HYDRAULIC SYSTEM USE CLIMATE Normal Mediterranean	USF		CLIMATE
HYDRAULIC SYSTEM use Normal CLIMATE Mediterranean			
HYDRAULIC SYSTEM use climate Normal Mediterranean			
HYDRAULIC SYSTEM use CLIMATE Normal Mediterranean	Multifleet SCD 10W		
Normal CLIMATE Mediterranean			
Normal Mediterranean	HYDRAULIC SYSTEM		
PRODUCT RECOMMENDATION 1	Normal		Mediterranean
Perlus H 32			

JCB TRACKED EXCAVATORS 7C (1969-1971)



GREASE POINTS/NIPPLES	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
MoS2 Grease EP 2	

SWING REDUCTION UNIT

We are unable to give a standard recommendation for this component. Please contact our service department.

SWING RING BEARINGS		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

SWING RING GEAR TEETH		
USE	CLIMATE	
Normal	Mediterranean	
PRODUCT RECOMMENDATION 1		
Compound OGL		

TRACK IDLER WHEELS	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Multifleet SCD 30	

TRACK ROLLERS	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Multifleet SCD 30	

TRAVEL REDUCTION UNIT

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

JCB TRACKED EXCAVATORS 7C (1969-1971)



UNIVERSAL JOINTS + DRIVE SHAFTS		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.