

AUDI (EU) A4, S4, RS 4 8K A4 2.0 TFSI QUATTRO (162 KW) (2013-2016)



MOTOR CAED, CPMB
Inhoud: 4,6 liter

GEBRUIK

Verlengde onderhoudsinterval (max.)

KLIMAAT

Gematigd

PRODUCTADVIES 1

Helar SP LL-03 5W-30

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!
Ververs elke 30000 km/ 24 maanden

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

Helar 0W-40

PRODUCTADVIES 2

Emperol 5W-40

PRODUCTADVIES 3

Asyntho 5W-30

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!
Ververs elke 15000 km/ 12 maanden

DIFFERENTIEEL ACHTER 0BC
Inhoud: 0,9 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear 1011

PRODUCTADVIES 2

Syngear TDL 75W-90

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

DIFFERENTIEEL VAN AUTOMATISCHE TRANSMISSIE
Inhoud: 1,1 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear 1011

PRODUCTADVIES 2

Syngear TDL 75W-90

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

AUDI (EU) A4, S4, RS 4 8K A4 2.0 TFSI QUATTRO (162 KW) (2013-2016)


TRANSAXLE HANDGESCHAKELD/VERDEELBAK 0B2 6/1

Inhoud: 4,5 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1
SP Matic 2072

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

TRANSMISSIE AUTOMATISCH 0BK 8/1

Inhoud: 8,6-9 liter (Fabrieksvulling), Inhoud: 3,6-4 liter (Service vulling)

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1
SP Matic 2034

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

VERDEELBAK VAN AUTOMATISCH

Inhoud: 1 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1
SP Gear LS 1015

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

HYDRAULISCH REM-/KOPPELINGSSYSTEEM
GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1
Drauliquid-LV Super DOT 4

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Ververs elke 24 maanden

AUDI (EU) A4, S4, RS 4 8K A4 2.0 TFSI QUATTRO (162 KW) (2013-2016)

**KOELSYSTEEM**

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

Coolant SP 12 EVO

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Controleer elke 24 maanden/ 30000 km

De hierop vermelde gegevens zijn bedoeld om de lezer in staat te stellen zich te oriënteren op de eigenschappen en mogelijke toepassingen van onze producten. Hoewel dit overzicht met alle zorgvuldigheid op de vermelde datum is samengesteld, aanvaardt de samensteller géén aansprakelijkheid voor schade als gevolg van onvolledigheden en/of onjuistheden in het overzicht, met name waar deze het gevolg zijn van kennelijke typefouten. Op alle productleveringen zijn de leveringsvoorwaarden van de leverancier van toepassing. De lezer wordt geadviseerd, met name voor kritische toepassingen, de uiteindelijke productkeuze te maken in samenspraak met de leverancier.