

AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2008-2009)



MOTOR CCWA, CCLA
Inhoud: 6,9 liter

GEBRUIK

Verlengde onderhoudsinterval (max.)

KLIMAAT

Gematigd

PRODUCTADVIES 1

Helar SP LL-03 0W-30

PRODUCTADVIES 2

Helar SP LL-03 5W-30

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!
Ververs elke 30000 km/ 24 maanden

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

Helar SP LL-03 0W-30

PRODUCTADVIES 2

Helar SP LL-03 5W-30

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!
Ververs elke 15000 km/ 12 maanden

DIFFERENTIEEL ACHTER

Inhoud: 0,9 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear 1011

PRODUCTADVIES 2

Syngear TDL 75W-90

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!
Controleer elke 24 maanden/ 30000 km

DIFFERENTIEEL VAN AUTOMATISCHE TRANSMISSIE

Inhoud: 1 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear 1011

PRODUCTADVIES 2

Syngear TDL 75W-90

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2008-2009)



TRANSAXLE HANDGESCHAKELD/VERDEELBAK 0B4 6/1

Inhoud: 3,2 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear 1011

PRODUCTADVIES 2

Syngear TDL 75W-90

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Controleer elke 24 maanden/ 30000 km

TRANSMISSIE AUTOMATISCH 0B6 6/1

Inhoud: 9-10,4 liter (Fabrieksvulling)

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Matic 2034

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

VERDEELBAK VAN AUTOMATISCH

Inhoud: 0,5 liter

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Gear LS 1015

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

HYDRAULISCH REM-/KOPPELINGSSYSTEEM

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

Drauliquid-LV Super DOT 4

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Ververs elke 24 maanden

AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2008-2009)



STUURBEKRACHTIGING

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

SP Fluid 3013

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Controleer elke 24 maanden/ 30000 km

KOELSYSTEEM

GEBRUIK

Normaal

KLIMAAT

Gematigd

PRODUCTADVIES 1

Coolant SP 12 EVO

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

Controleer elke 24 maanden/ 30000 km

De hierop vermelde gegevens zijn bedoeld om de lezer in staat te stellen zich te oriënteren op de eigenschappen en mogelijke toepassingen van onze producten. Hoewel dit overzicht met alle zorgvuldigheid op de vermelde datum is samengesteld, aanvaardt de samensteller géén aansprakelijkheid voor schade als gevolg van onvolledigheden en/of onjuistheden in het overzicht, met name waar deze het gevolg zijn van kennelijke typefouten. Op alle productleveringen zijn de leveringsvoorwaarden van de leverancier van toepassing. De lezer wordt geadviseerd, met name voor kritische toepassingen, de uiteindelijke productkeuze te maken in samenspraak met de leverancier.