

# AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2009-2012)



**MOTOR** CCWA, CCLA  
Kapasitet: 6,9 liter

**BRUK**

Utvidet tømning (maks)

**KLIMA**

Moderat

PRODUKTANBEFALING 1

**Helar SP LL-03 0W-30**

PRODUKTANBEFALING 2

**Helar SP LL-03 5W-30**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Bytt hver 30000 km/ 24 måneder*

**BRUK**

Normal

**KLIMA**

Moderat

PRODUKTANBEFALING 1

**Helar SP LL-03 0W-30**

PRODUKTANBEFALING 2

**Helar SP LL-03 5W-30**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Bytt hver 15000 km/ 12 måneder*

**DIFFERENSIAL BAK**

Kapasitet: 0,9 liter

**BRUK**

Normal

**KLIMA**

Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Sjekk hver 24 måneder/ 30000 km*

**DIFFERENSIAL BAK UTLØSING**

Kapasitet: 0,85 liter

**BRUK**

Normal

**KLIMA**

Moderat

PRODUKTANBEFALING 1

**SP Gear 1081**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

# AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2009-2012)



## TRANSAKSEL MANUELL/OVERFØRINGSBOKS 0B4 6/1

Kapasitet: 3,2 liter

| BRUK                |                           | KLIMA   |
|---------------------|---------------------------|---------|
| Normal              |                           | Moderat |
| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       |         |
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> |         |

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!  
Sjekk hver 24 måneder/ 30000 km

## TRANSMISSION S TRONIC CLUTCH PART 0B5 (DL501)

Kapasitet: 6,7 liter (Servicepåfylling), Kapasitet: 7,5 liter (Tørr fyll, med oljekjølør), Kapasitet: 7 liter (Tørrfylling uten oljekjølør)

| BRUK                 |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2072</b> |  |         |

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

## TRANSMISSION S TRONIC TRANSMISSION PART 0B5 (DL501) 7/1

Kapasitet: 4,35 liter (Påfylling fra helt tom)

| BRUK                 |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2072</b> |  |         |

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

## TRANSMISSION S TRONIC TRANSMISSION PART 0B5 (DL501) NWD, NWF, NVZ 7/1

Kapasitet: 4,35 liter (Påfylling fra helt tom)

| BRUK                 |  | KLIMA   |
|----------------------|--|---------|
| Normal               |  | Moderat |
| PRODUKTANBEFALING 1  |  |         |
| <b>SP Matic 2072</b> |  |         |

Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!

# AUDI (EU) A4, S4, RS 4 8K A4 3.0 TDI QUATTRO (176 KW) (2009-2012)



## HYDRAULISK BREMSE-/CLUTCH-SYSTEM

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid-LV Super DOT 4**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Bytt hver 24 måneder*

## SERVOSTYRING

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Fluid 3013**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Sjekk hver 24 måneder/ 30000 km*

## KJØLESYSTEM

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 12 EVO**

*Vehicles with extended drain intervals can be identified by the presence of the code QG1 on the vehicle identification plate. If this code is not present (or mentions code QG0 or QG2) only the normal drain intervals may be used!*

*Sjekk hver 24 måneder/ 30000 km*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*