

# ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)

**ENGINE J35Y6**

Capacity: 4,3 liter, Filter capacity: 0,3 liter

**USE**

Flexible (on board maintenance system)

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****Presteza MSP 0W-20***Change every 12 months***DIFFERENTIAL REAR**

Capacity: 1,82-1,86 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

**TRANSFERBOX**

Capacity: 0,43 liter

**USE**

Severe

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****SP Gear 1011****PRODUCT RECOMMENDATION 2****SP Gear 5015****PRODUCT RECOMMENDATION 3****SP Gear 1071***Change every 48000 km***USE**

Severe, first change only

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****SP Gear 1011****PRODUCT RECOMMENDATION 2****SP Gear 5015****PRODUCT RECOMMENDATION 3****SP Gear 1071***Change every 64000 km***USE**

Flexible (on board maintenance system)

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****SP Gear 1011****PRODUCT RECOMMENDATION 2****SP Gear 5015****PRODUCT RECOMMENDATION 3****SP Gear 1071**

# ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)


**TRANSMISSION AUTOMATIC 9/1**

Capacity: 3,3 liter

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Severe                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>SP Matic 4036</b>     |  |          |

Change every 48000 km

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Severe, first change only |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>SP Matic 4036</b>      |  |          |

Change every 64000 km

| USE                                    |  | CLIMATE  |
|----------------------------------------|--|----------|
| Flexible (on board maintenance system) |  | Moderate |
| PRODUCT RECOMMENDATION 1               |  |          |
| <b>SP Matic 4036</b>                   |  |          |

**HYDRAULIC BRAKE SYSTEM**

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Drauliquid DOT 3</b>  |  |          |

Change every 36 months

**COOLING SYSTEM**

Capacity: 0,72 liter (Reservoir), Capacity: 8,4 liter (Service fill)

| USE                                    |  | CLIMATE  |
|----------------------------------------|--|----------|
| Flexible (on board maintenance system) |  | Moderate |
| PRODUCT RECOMMENDATION 1               |  |          |
| <b>Coolant SP 14+</b>                  |  |          |

**AIRCONDITIONING COMPRESSOR**

Capacity: 70-85 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

**AIRCONDITIONING SYSTEM**

Capacity: 475-525 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

# ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)



*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*