

MANITOU MANISKOPISK MLT MLT 526 TURBO MONO-ULTRA (24") SERIE A PERKINS 1004.40T (2001-2006)



MOTOR Perkins 1004-40T
Kapasitet: 8 liter

BRUK	KLIMA
Normal	Fra Middelhavet

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Bytt hver 400 timer

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Armado Synth 5W-30

Bytt hver 400 timer

BRUK	KLIMA
Første service	Fra Middelhavet

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Bytt hver 50 timer

BRUK	KLIMA
Første service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Armado Synth 5W-30

Bytt hver 50 timer

AKSELSVINGNING BAK

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

DIFFERENSIAL BAK

Kapasitet: 6,35 liter

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT		

Bytt hver 800 timer

MANITOU MANISKOPIISK MLT MLT 526 TURBO MONO-ULTRA (24") SERIE A PERKINS 1004.40T (2001-2006)



DIFFERENSIAL FORAN

Kapasitet: 5,3 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Bytt hver 800 timer

NAVREDUKSJONER BAK

Kapasitet: 0,75 liter (hvert nav)

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Bytt hver 800 timer

NAVREDUKSJONER FORAN

Kapasitet: 0,75 liter (hvert nav)

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Bytt hver 800 timer

OVERFØRING

Kapasitet: 11 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Almirol

Bytt hver 800 timer

OVERFØRINGSBOKS

Kapasitet: 0,6 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Bytt hver 800 timer

MANITOU MANISKOPISK MLT MLT 526

TURBO MONO-ULTRA (24") SERIE A

PERKINS 1004.40T (2001-2006)

**HYDRAULIKKSYSTEM**

Kapasitet: 125 liter (Hydraulikktank)

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

Bytt hver 800 timer

HYDRAULISK BREMSESYSTEM

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

LHM +**SMØREPUNKT / NIPLER KRANBOM**

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2**SMØREPUNKTER/NIPLER**

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2**KJØLESYSTEM**

Kapasitet: 17,25 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.