

MANITOU MANISKOPISK MLT MLT 626

SERIE 1 PERKINS 1004.4 (1989-1992)



MOTOR Perkins 1004.4

BRUK	KLIMA
Normal	Fra Middelhavet

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Bytt hver 400 timer

BRUK	KLIMA
Første service	Fra Middelhavet

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Bytt hver 50 timer

DIFFERENSIAL BAK

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT		

Bytt hver 800 timer

DIFFERENSIAL FORAN

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT		

Bytt hver 800 timer

NAVREDUKSJONER BAK

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Agrifluid HT		

Bytt hver 800 timer

MANITOU MANISKOPISK MLT MLT 626

SERIE 1 PERKINS 1004.4 (1989-1992)



NAVREDUKSJONER FORAN

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Agrifluid HT		
Bytt hver 800 timer		

OVERFØRING Spicer Compact Shuttle

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 10W	ATF Dexron II-D	
Bytt hver 800 timer		

HYDRAULIKKSYSTEM

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 46		
Bytt hver 800 timer		

HYDRAULISK BREMSESYSTEM

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
LHM +		

SMØREPUNKTER/NIPLER

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

MANITOU MANISKOPISK MLT MLT 626

SERIE 1 PERKINS 1004.4 (1989-1992)



GLIDEPUTER TVERRSTOPPER

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.