

MANITOU MANISKOPISK MT/MTA MT 845 TURBO SERIEN 2



MOTOR

Kapasitet: 7,75 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

Bytt hver 500 timer

BRUK

Første service

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

Bytt hver 50 timer

DIFFERENSIAL BAK

Kapasitet: 7,3 liter (->147615), Kapasitet: 7 liter (147616->)

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Bytt hver 500 timer

BRUK

Første service

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Bytt hver 50 timer

DIFFERENSIAL FORAN

Kapasitet: 7,3 liter (->147615), Kapasitet: 7 liter (147616->)

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Bytt hver 500 timer

BRUK

Første service

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Bytt hver 50 timer

MANITOU MANISKOPISK MT/MTA MT 845 TURBO SERIEN 2



NAVREDUKSJONER BAK

Kapasitet: 1,65 liter (->147615), Kapasitet: 0,65 liter (147616->)

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Bytt hver 1000 timer

BRUK	KLIMA
Første service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Bytt hver 50 timer

NAVREDUKSJONER FORAN

Kapasitet: 1,65 liter (->147615), Kapasitet: 0,65 liter (147616->)

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Bytt hver 1000 timer

BRUK	KLIMA
Første service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Bytt hver 50 timer

OVERFØRING

Kapasitet: 9,4 liter

BRUK	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Almirol		

Bytt hver 1000 timer

BRUK	KLIMA
Første service	Moderat

PRODUKTANBEFALING 1		
ATF Almirol		

Bytt hver 50 timer

MANITOU MANISKOPISK MT/MTA MT 845 TURBO SERIEN 2



UNIVERSALLEDD TRANSMISJON

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

VINKELTANNHJULBOKS

Kapasitet: 2,25 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Bytt hver 500 timer

BRUK

Første service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Bytt hver 50 timer

HYDRAULIKKSYSTEM

Kapasitet: 120 liter

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

Bytt hver 1000 timer/ 12 måneder

HYDRAULISK BREMSESYSTEM

BRUK

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

LHM +

Bytt hver 1000 km/ 12 måneder

MANITOU MANISKOPISK MT/MTA MT 845 TURBO SERIEN 2



PUTER TVERRSTOPPERE

BRUK Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Q7 MP Calcep Grease WR 2	PRODUKTANBEFALING 2 Caliplex HD Grease EP 2	PRODUKTANBEFALING 3 Q5 MP Calcep Grease EP 2

Bytt hver 10 timer

SMØREPUNKTER/NIPLER ANNET

BRUK Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Bytt hver 50 timer

KJØLESYSTEM

Kapasitet: 23,5 liter

BRUK Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Coolant SP 15+	PRODUKTANBEFALING 2 Coolant SP 12	PRODUKTANBEFALING 3 Coolant -38 Organic NF

HJULREDUKSJONSTAPPER BAK ->147615

BRUK Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

Bytt hver 50 timer

HJULREDUKSJONSTAPPER BAK 147616->

BRUK Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Q7 MP Calcep Grease WR 2	PRODUKTANBEFALING 2 Caliplex HD Grease EP 2	PRODUKTANBEFALING 3 Q5 MP Calcep Grease EP 2

Bytt hver 50 timer

MANITOU MANISKOPISK MT/MTA MT 845

TURBO SERIEN 2



HJULREDUKSJONSTAPPER FORAN ->147615

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Bytt hver 50 timer

HJULREDUKSJONSTAPPER FORAN 147616->

BRUK		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Q7 MP Calcep Grease WR 2	Caliplex HD Grease EP 2	Q5 MP Calcep Grease EP 2

Bytt hver 50 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.