

PRODUCT RECOMMENDATION

MERCEDES-BENZ (EU) C-CLASS W204 / S204 / C204 C 220 CDI DPF 204.002/202/302 (2011-2014)



ENGINE 651.911 Capacity: 6,5 litre		
USE Flexible (max)		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Presteza MSP 5W-30	PRODUCT RECOMMENDATION 2 Helar SP LL-03 5W-30	PRODUCT RECOMMENDATION 3 Specialsynth MSP 5W-40
<i>Change every 25000 km</i>		

DIFFERENTIAL REAR 187 FE, Ø 187 mm Capacity: 0,95 litre		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Gear 1071		

DIFFERENTIAL REAR 200 FE, Ø 200 mm Capacity: 1,1 litre		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Gear 1071		

DIFFERENTIAL REAR 215 FE, Ø 215 mm Capacity: 1,2 litre		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Gear 1071		

TRANSMISSION AUTOMATIC 722.6xx 5/1 Capacity: 8,3 litre (Dry fill)		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 SP Matic 4026		

PRODUCT RECOMMENDATION

**MERCEDES-BENZ (EU) C-CLASS W204 /
S204 / C204 C 220 CDI DPF 204.002/202/302
(2011-2014)**



TRANSMISSION AUTOMATIC 722.9xx 7/1

Capacity: 9 litre (Dry fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 2094		

Change every 125000 km/ 60 months

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
SP Matic 2094		

Change every 50000 km/ 36 months

TRANSMISSION MANUAL 711.653 6/1

Capacity: 1,5 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Gear 1041		

TRANSMISSION MANUAL 716.6xx 6/1

Capacity: 1,5 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
SP Gear 1041		

HYDRAULIC BRAKE/CLUTCH SYSTEM

Capacity: 0,5 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Drauliquid-S DOT 4		

Change every 24 months

**MERCEDES-BENZ (EU) C-CLASS W204 /
S204 / C204 C 220 CDI DPF 204.002/202/302
(2011-2014)**



POWER STEERING

Capacity: 0,8 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Fluid 3013		

COOLING SYSTEM

Capacity: 10 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 11	Coolant SP 12++	

Change every 250000 km/ 180 months

AIRCONDITIONING COMPRESSOR

Capacity: 120 cm³

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 590 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.