

VOLKSWAGEN (VW) (EU) PASSAT B6 3C PASSAT 2.0 TDI (103 KW) (2005-2008)



ENGINE BKP (PD), BMP (PD)
Capacity: 4 litre, Filter capacity: 0,5 litre

| USE | CLIMATE |
|----------------------|----------|
| Extended drain (max) | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|-----------------------------|--|--|
| Helar SP LL-03 5W-30 | | |

Change every 30000 km/ 24 months

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---------------------------|-------------------------------|--|
| Presteza MSP 5W-30 | Specialsynth MSP 5W-40 | |

Change every 15000 km/ 12 months

TRANSAXLE MANUAL 02Q 6/1
Capacity: 2,3 litre

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|--------------------------|--|--|
| SP Gear 5015 | | |

Check every 48 months/ 60000 km

TRANSAXLE SEMI-AUTOMATIC DSG 02E (DQ250) 6/1
Capacity: 7,2 litre (Initial fill), Capacity: 5,2 litre (Service fill)

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|--------------------------|--|--|
| SP Matic 2072 | | |

Change every 60000 km

HYDRAULIC BRAKE/CLUTCH SYSTEM
Capacity: 1,15 litre

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|----------------------------------|--|--|
| Drauliquid-LV Super DOT 4 | | |

Change every 24 months

VOLKSWAGEN (VW) (EU) PASSAT B6 3C PASSAT 2.0 TDI (103 KW) (2005-2008)



ELECTRO-HYDRAULIC POWER STEERING

| USE | | CLIMATE |
|--------------------------|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| SP Fluid 3013 | | |

COOLING SYSTEM

Capacity: 8 litre

| USE | | CLIMATE |
|--------------------------|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant SP 13 | Coolant SP 12++ | |

Check every 48 months/ 60000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.