

FORD ANCIENT MODELS 2600



ENGINE

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1 Multifleet SCD 30		
--	--	--

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1 Kroontrak Super 10W-30	PRODUCT RECOMMENDATION 2 Multifleet SCD 20W-20	
---	--	--

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1 Multifleet SCD 10W		
---	--	--

DIFFERENTIAL FRONT

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90		
---	--	--

DIFFERENTIAL REAR

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Kroontrak Synth 10W-40	PRODUCT RECOMMENDATION 2 Agrifluid Synth XHP Ultra	PRODUCT RECOMMENDATION 3 Agrifluid Synth WB
---	--	---

HUB REDUCTIONS FRONT

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90		
---	--	--

FORD ANCIENT MODELS 2600



TRANSMISSION		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak Synth 10W-40	Agrifluid Synth XHP Ultra	Agrifluid Synth WB

POWER STEERING		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak Super 10W-30	ATF Dexron II-D	ATF-A

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Labora Grease	MoS2 Grease EP 2	

WHEEL BEARINGS FRONT		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Labora Grease	MoS2 Grease EP 2	

BELT PULLEY		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak Synth 10W-40	Agrifluid Synth XHP Ultra	Agrifluid Synth WB

FORD ANCIENT MODELS 2600



FUEL INJECTION PUMP

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Multifleet SCD 30	

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Kroontrak Super 10W-30	Multifleet SCD 20W-20

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Multifleet SCD 10W	

STEERING GEARBOX

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Gearlube GL-5 80W-90	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.