

# FORD ANCIENT MODELS 2600



ENGINE		
USE	CLIMATE	
Normal	Tropical	
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		
USE	CLIMATE	
Normal	Mediterranean	
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 20W-20</b>		
USE	CLIMATE	
Normal	Cold	
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 10W</b>		

DIFFERENTIAL FRONT		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
<b>Gearlube GL-5 80W-90</b>		

DIFFERENTIAL REAR		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Kroontrak CVT 10W-40</b>	<b>Agrifluid Synth XHP Ultra</b>	<b>Agrifluid HT-Plus</b>

HUB REDUCTIONS FRONT		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
<b>Gearlube GL-5 80W-90</b>		

# FORD ANCIENT MODELS 2600



TRANSMISSION		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Kroontrak CVT 10W-40</b>	<b>Agrifluid Synth XHP Ultra</b>	<b>Agrifluid HT-Plus</b>

POWER STEERING		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>ATF Dexron II-D</b>	<b>ATF-A</b>	

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Labora Grease</b>	<b>MoS2 Grease EP 2</b>	

WHEEL BEARINGS FRONT		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Labora Grease</b>	<b>MoS2 Grease EP 2</b>	

BELT PULLEY		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Kroontrak CVT 10W-40</b>	<b>Agrifluid Synth XHP Ultra</b>	<b>Agrifluid HT-Plus</b>

# FORD ANCIENT MODELS 2600



## FUEL INJECTION PUMP

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 20W-20</b>		

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 10W</b>		

## STEERING GEARBOX

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>Gearlube GL-5 80W-90</b>		

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*