

# MERCEDES-BENZ (EU) ACTROS ACTROS 3346 AK (6X6) (2006-2013)



**ENGINE** Mercedes-Benz OM501LA IV  
Capacity: 32 litre

<b>USE</b> Euro 4+5	<b>CLIMATE</b> Moderate
------------------------	----------------------------

<b>PRODUCT RECOMMENDATION 1</b> <b>Armado Synth LSP Ultra 5W-30</b>	<b>PRODUCT RECOMMENDATION 2</b> <b>Armado Synth LSP Ultra 10W-40</b>	<b>PRODUCT RECOMMENDATION 3</b> <b>Armado Synth LSP 10W-40</b>
--	---	---

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

<b>USE</b> Euro 4+5 + DPF	<b>CLIMATE</b> Moderate
------------------------------	----------------------------

<b>PRODUCT RECOMMENDATION 1</b> <b>Armado Synth LSP Ultra 5W-30</b>	<b>PRODUCT RECOMMENDATION 2</b> <b>Armado Synth LSP Ultra 10W-40</b>	<b>PRODUCT RECOMMENDATION 3</b> <b>Armado Synth LSP 10W-40</b>
--	---	---

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

**DIFFERENTIAL FRONT**  
Capacity: 7 litre

<b>USE</b> Normal	<b>CLIMATE</b> Moderate
----------------------	----------------------------

<b>PRODUCT RECOMMENDATION 1</b> <b>SP Gear 1011</b>	<b>PRODUCT RECOMMENDATION 2</b> <b>Gearlube GL-5 80W-90</b>	<b>PRODUCT RECOMMENDATION 3</b> <b>Unigear HS GL-3/GL-5 80W-90</b>
--	--	---

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*  
*Check every 12 months*

**DIFFERENTIAL REAR LEADING HD 7**  
Capacity: 12 litre

<b>USE</b> Normal	<b>CLIMATE</b> Moderate
----------------------	----------------------------

<b>PRODUCT RECOMMENDATION 1</b> <b>SP Gear 1011</b>	<b>PRODUCT RECOMMENDATION 2</b> <b>Gearlube GL-5 80W-90</b>	<b>PRODUCT RECOMMENDATION 3</b> <b>Unigear HS GL-3/GL-5 80W-90</b>
--	--	---

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*  
*Check every 12 months*

# MERCEDES-BENZ (EU) ACTROS ACTROS 3346 AK (6X6) (2006-2013)



## DIFFERENTIAL REAR TRAILING HL 7

Capacity: 12 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Gear 1011</b>	<b>Gearlube GL-5 80W-90</b>	<b>Unigear HS GL-3/GL-5 80W-90</b>

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

*Check every 12 months*

## HUB REDUCTIONS REAR HD 7/HL 7/AL 7

Capacity: 3,25 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Gear 1011</b>	<b>Gearlube GL-5 80W-90</b>	<b>Unigear HS GL-3/GL-5 80W-90</b>

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

*Check every 12 months*

## HYDRAULIC ACTUATION GEARBOX

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>Drauliquid-S DOT 4</b>		

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

*Check every 12 months, change every 36 months*

# MERCEDES-BENZ (EU) ACTROS ACTROS 3346 AK (6X6) (2006-2013)



## HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Black reservoir cap	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-S DOT 4**

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*  
*Check every 12 months, change every 36 months*

USE	CLIMATE
Green reservoir cap	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 3013**

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

## POWER TAKE OFF

Capacity: 0,6 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Syngear HS 75W-90**

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*  
*Check every 12 months*

## THROUGH SHAFT ASSEMBLY HD 7

Capacity: 3,5 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Gear 1011**

PRODUCT RECOMMENDATION 2

**Gearlube GL-5 80W-90**

PRODUCT RECOMMENDATION 3

**Unigear HS GL-3/GL-5 80W-90**

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*  
*Check every 12 months*

## TRANSFERBOX

Capacity: 13,2 litre

We are unable to give a standard recommendation for this component. Please contact our service department.

# MERCEDES-BENZ (EU) ACTROS ACTROS 3346 AK (6X6) (2006-2013)



## TRANSMISSION MANUAL G240-16 16/2

Capacity: 15,5 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Syngear HS 75W-90</b>		

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correct*  
*Check every 12 months*

## HYDRAULIC CAB TILT SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Perlus H 15</b>		

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correct*  
*Check every 12 months*

## POWER STEERING

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>SP Matic 4026</b>	<b>SP Matic 2032</b>	<b>ATF Dexron II-D</b>

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correct*  
*Check every 12 months*

## GREASE POINTS/NIPPLES OTHERS

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>MP Lithep Grease EP 2</b>		

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correct*  
*Check every 12 months*



# MERCEDES-BENZ (EU) ACTROS ACTROS 3346 AK (6X6) (2006-2013)



## COOLING SYSTEM

Capacity: 41 litre

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 11**

*These types of vehicles are equipped with the Telligent system. This system announces when the vehicle needs service. Service intervals mainly depend on driving conditions and engine oil quality. Oil qualities need to be programmed to insure the correc*

*Check every 12 months, change every 36 months*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*