

# JCB TELESCOPIC HANDLERS 520-50

## PERKINS 1004-4 (1996-2004)

**ENGINE** Perkins 1004-4

| USE                           |                               | CLIMATE       |
|-------------------------------|-------------------------------|---------------|
| Normal                        |                               | Mediterranean |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2      |               |
| <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |               |

| USE                           |  | CLIMATE  |
|-------------------------------|--|----------|
| Normal                        |  | Moderate |
| PRODUCT RECOMMENDATION 1      |  |          |
| <b>Multifleet SHPD 10W-40</b> |  |          |

| USE                       |  | CLIMATE |
|---------------------------|--|---------|
| Normal                    |  | Arctic  |
| PRODUCT RECOMMENDATION 1  |  |         |
| <b>Multifleet SCD 10W</b> |  |         |

**DIFFERENTIAL HUB REDUCTIONS WET BRAKES**

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Agrifluid HT</b>      |  |               |

**DRIVE / STEER AXLE**

| USE                         |                                    | CLIMATE       |
|-----------------------------|------------------------------------|---------------|
| Normal                      |                                    | Mediterranean |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2           |               |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> |               |

**TRANSMISSION** Brockhouse DR.44

| USE                       |                          | CLIMATE       |
|---------------------------|--------------------------|---------------|
| Normal                    |                          | Mediterranean |
| PRODUCT RECOMMENDATION 1  | PRODUCT RECOMMENDATION 2 |               |
| <b>Gear Oil Alcat 10W</b> | <b>ATF Dexron II-D</b>   |               |

# JCB TELESCOPIC HANDLERS 520-50

## PERKINS 1004-4 (1996-2004)



### TRANSMISSION JCB

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>ATF-F (Ford)</b>      |  |               |

### TRANSMISSION Powershift/ShuttleReverser/Warner

| USE                       |                          | CLIMATE       |
|---------------------------|--------------------------|---------------|
| Normal                    |                          | Mediterranean |
| PRODUCT RECOMMENDATION 1  | PRODUCT RECOMMENDATION 2 |               |
| <b>Gear Oil Alcat 10W</b> | <b>ATF Dexron II-D</b>   |               |

### TRANSMISSION SYNCHROMESH Turner

| USE                          |  | CLIMATE       |
|------------------------------|--|---------------|
| Normal                       |  | Mediterranean |
| PRODUCT RECOMMENDATION 1     |  |               |
| <b>Multifleet SCD 20W-20</b> |  |               |

### HYDRAULIC SYSTEM

Capacity: 70 liter (Hydraulic tank)

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Perlus H 32</b>       |  |               |

### HYDRAULIC BRAKE SYSTEM

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Perlus H 15</b>       |  |               |

### GREASE POINTS/NIPPLES

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>MoS2 Grease EP 2</b>  |  |               |

# JCB TELESCOPIC HANDLERS 520-50

## PERKINS 1004-4 (1996-2004)



### GREASE POINTS/NIPPLES TELESCOPIC SLIDING SURFACES

We are unable to give a standard recommendation for this component. Please contact our service department.

### COOLING SYSTEM

Capacity: 20 liter

#### USE

Normal

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant SP 15+**

#### PRODUCT RECOMMENDATION 2

**Coolant SP 12**

#### PRODUCT RECOMMENDATION 3

**Coolant -38 Organic NF**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*