ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)



ENGINE J35Y6 Capacity: 4,3 liter, Filter capacity: 0,3 liter	
USE	CLIMATE
Flexible (on board maintenance system)	Moderate
PRODUCT RECOMMENDATION 1	
Presteza MSP 0W-20	
Change every 12 months	

DIFFERENTIAL REAR Capacity: 1,82-1,86 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

TRANSFERBOX Capacity: 0,43 liter		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	SP Gear 1071
Change every 48000 km	,	
USE		CLIMATE
Severe, first change only		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	SP Gear 1071
Change every 64000 km	·	
USE		CLIMATE
Flexible (on board maintenance system)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	SP Gear 1071

ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)



TRANSMISSION AUTOMATIC 9/1 Capacity: 3,3 liter	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 48000 km	
USE	CLIMATE
Severe, first change only	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
Change every 64000 km	
USE	CLIMATE
Flexible (on board maintenance sys	tem) Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	

HYDRAULIC BRAKE SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Change every 36 months	·

сымате Moderate

AIRCONDITIONING COMPRESSOR Capacity: 70-85 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM

Capacity: 475-525 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

PRODUCT RECOMMENDATION

ACURA (USA / CAN) TLX TLX 3.5 AWD (CAN) (2014-2020)



The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.