

# CATERPILLAR TELESCOPIC HANDLERS

## RT/TH RT50



### ENGINE

#### USE

Normal (preferred)

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Agridiesel CRD+ 15W-40**

#### PRODUCT RECOMMENDATION 2

**Synfleet SHPD 10W-40**

#### PRODUCT RECOMMENDATION 3

**Dieselfleet CD+ 15W-40***Change every 250 hours*

#### USE

Alternative (acceptable)

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Agridiesel CRD+ 15W-40**

#### PRODUCT RECOMMENDATION 2

**Kroontrak MTH 10W-30**

#### PRODUCT RECOMMENDATION 3

**Asyntho 5W-30***Change every 250 hours*

### DIFFERENTIAL FRONT + HUB REDUCTIONS

#### USE

Normal

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Agrifluid Synth XHP Ultra**

#### PRODUCT RECOMMENDATION 2

**Agrifluid HT-Plus**

#### PRODUCT RECOMMENDATION 3

**Kroontrak MTH 10W-30**

### DIFFERENTIAL REAR + HUB REDUCTIONS

#### USE

Normal

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Agrifluid Synth XHP Ultra**

#### PRODUCT RECOMMENDATION 2

**Agrifluid HT-Plus**

#### PRODUCT RECOMMENDATION 3

**Kroontrak MTH 10W-30**

# CATERPILLAR TELESCOPIC HANDLERS

## RT/TH RT50



### TRANSFERBOX

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1		
<b>Gear Oil Alcat 50</b>		

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
<b>Gear Oil Alcat 30</b>		

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1		
<b>Gear Oil Alcat 10W</b>		

### TRANSMISSION PowerShuttle

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
<b>Gear Oil Alcat 30</b>	<b>Gear Oil Alcat 50</b>	

*Check every 500 hours, change every 1000 hours*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1		
<b>Gear Oil Alcat 10W</b>		

*Check every 500 hours, change every 1000 hours*

### HYDRAULIC SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Agridiesel CRD+ 15W-40</b>	<b>Kroontrak MTH 10W-30</b>	<b>Synfleet SHPD 10W-40</b>

*Check every 500 hours, change every 2000 hours*

# CATERPILLAR TELESCOPIC HANDLERS

## RT/TH RT50

**GREASE POINTS/NIPPLES****USE**

Normal

**CLIMATE**

Moderate

**PRODUCT RECOMMENDATION 1****MoS2 Grease EP 2**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*