PRODUCT RECOMMENDATION

AUSA WHEELED DUMPERS 250 AH ISUZU
(1996-2005)

ENGINE Isuzu Capacity: 7,5 liter		
USE Normal		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Dieselfleet CD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Multifleet SHPD 15W-40**	**PRODUCT RECOMMENDATION 3** **Multifleet SCD 30**
Change every 200 hours		
USE Normal		**CLIMATE** Cold
PRODUCT RECOMMENDATION 1 **Multifleet SCD 20W-20**		
Change every 200 hours		
USE Initial service		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Dieselfleet CD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Multifleet SHPD 15W-40**	**PRODUCT RECOMMENDATION 3** **Multifleet SCD 30**
Change every 50 hours		
USE Initial service		**CLIMATE** Cold
PRODUCT RECOMMENDATION 1 **Multifleet SCD 20W-20**		
Change every 50 hours		

DIFFERENTIAL FRONT Capacity: 2 liter		
USE Normal		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Gearlube LS 80W-90**		
Change every 1000 hours		
USE Initial service		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Gearlube LS 80W-90**		
Change every 50 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

AUSA WHEELED DUMPERS 250 AH ISUZU (1996-2005)

DIFFERENTIAL REAR
Capacity: 2,25 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 1000 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 50 hours

HUB REDUCTIONS
Capacity: 0,25 liter (each hub)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 1000 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 50 hours

HYDRAULIC SYSTEM
Capacity: 50 liter (Hydraulic tank)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 1000 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 100 hours

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

AUSA WHEELED DUMPERS 250 AH ISUZU (1996-2005)

HYDRAULIC ACTUATION OIL IMMERSED BRAKES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SCD 10W	**HDX 10W**	
Change every 1000 hours		

ARTICULATION JOINTS

We are unable to give a standard recommendation for this component. Please contact our service department.

GREASE POINTS/NIPPLES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	**Q5 MP Calcep Grease EP 2**	**MP Lithep Grease EP 2**
Change every 50 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367