

ALFA ROMEO (EU) STELVIO 949 STELVIO

2.2 JTD (132 KW) Q4 ADBLUE (2017-2018)

**ENGINE**

Capacity: 3,9-4,4 liter (Service fill)

USE

Flexible (max)

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Presteza MSP 0W-20***Change every 24 months***DIFFERENTIAL RDU 210/215-LSD**

Capacity: 1,1 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1071****DIFFERENTIAL RDU 230-LSD**

Capacity: 0,9 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1071****DIFFERENTIAL REAR RDU 210-eLSD**

Capacity: 1,4 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1071****TRANSFERBOX**

Capacity: 0,7 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1081***Change every 120000 km*

ALFA ROMEO (EU) STELVIO 949 STELVIO

2.2 JTD (132 KW) Q4 ADBLUE (2017-2018)

**TRANSFERBOX FAD**

Capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Gear 5015*Change every 120000 km***TRANSMISSION AUTOMATIC 8/1**

Capacity: 9,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2034**HYDRAULIC BRAKE SYSTEM**

Capacity: 0,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid Racing*Change every 24 months***COOLING SYSTEM**

Capacity: 8-8,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+**COOLING SYSTEM INTERCOOLER**

Capacity: 4,7-5,1 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+

ALFA ROMEO (EU) STELVIO 949 STELVIO 2.2 JTD (132 KW) Q4 ADBLUE (2017-2018)



SELECTIVE CATALYTIC REDUCTION SYSTEM (SCR)

Capacity: 16,1 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.