

CATERPILLAR ENGINES C11 (2004-2010)



ENGINE C11
Capacity: 40 liter

USE	CLIMATE
Severe (preferred)	Mediterranean

PRODUCT RECOMMENDATION 1

Multifleet SHPD 15W-40*Change every 21000 km*

USE	CLIMATE
Severe (preferred)	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 10W-40

PRODUCT RECOMMENDATION 2

Armado Synth LSP 10W-40

PRODUCT RECOMMENDATION 3

Armado Synth 10W-40*Change every 21000 km*

USE	CLIMATE
Distribution (preferred)	Mediterranean

PRODUCT RECOMMENDATION 1

Multifleet SHPD 15W-40*Change every 25000 km*

USE	CLIMATE
Distribution (preferred)	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 10W-40

PRODUCT RECOMMENDATION 2

Armado Synth LSP 10W-40

PRODUCT RECOMMENDATION 3

Armado Synth 10W-40*Change every 25000 km*

USE	CLIMATE
Regional (preferred)	Mediterranean

PRODUCT RECOMMENDATION 1

Multifleet SHPD 15W-40*Change every 38000 km*

USE	CLIMATE
Regional (preferred)	Moderate

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 10W-40

PRODUCT RECOMMENDATION 2

Armado Synth LSP 10W-40

PRODUCT RECOMMENDATION 3

Armado Synth 10W-40*Change every 38000 km*

USE	CLIMATE
Distribution, non-urban (preferred)	Mediterranean

PRODUCT RECOMMENDATION 1

Multifleet SHPD 15W-40*Change every 32000 km*

CATERPILLAR ENGINES C11 (2004-2010)



USE Distribution, non-urban (preferred)		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Armado Synth LSP Ultra 10W-40	PRODUCT RECOMMENDATION 2 Armado Synth LSP 10W-40	PRODUCT RECOMMENDATION 3 Armado Synth 10W-40
<i>Change every 32000 km</i>		
USE Severe		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40	
<i>Change every 15000 km</i>		
USE Severe		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Synfleet SHPD 10W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 10W-40	
<i>Change every 15000 km</i>		
USE Regional		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40	
<i>Change every 28000 km</i>		
USE Regional		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Synfleet SHPD 10W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 10W-40	
<i>Change every 28000 km</i>		
USE Distribution		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 15W-40	
<i>Change every 19000 km</i>		
USE Distribution		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Synfleet SHPD 10W-40	PRODUCT RECOMMENDATION 2 Multifleet SHPD 10W-40	
<i>Change every 19000 km</i>		

CATERPILLAR ENGINES C11 (2004-2010)



USE		CLIMATE
Distribution, non-urban		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	

Change every 24000 km

USE		CLIMATE
Distribution, non-urban		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Synfleet SHPD 10W-40	Multifleet SHPD 10W-40	

Change every 24000 km

COOLING SYSTEM

Capacity: 11,5 liter (Engine only)

USE		CLIMATE
Extended		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 17		

Change every 950000 km/ 72 months/ 12000 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Change every 320000 km/ 36 months/ 3000 hours

USE		CLIMATE
Alternative (acceptable)		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

Change every 240000 km/ 12 months/ 3000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.